

Catalogue

Les moulages



Les moulages

Les silicones

Polycondensation	Coloris
<ul style="list-style-type: none">- RTV 3481 <p><u>Catalyseur:</u></p> <ul style="list-style-type: none">- Normal, Fast, Very fast, Thixo	<ul style="list-style-type: none">- Silicone Blanc
<ul style="list-style-type: none">- RTV 5530- RTV 5540	<ul style="list-style-type: none">- Silicone Vert- Silicone Bleu
Polyaddition	Coloris
<ul style="list-style-type: none">- ZA 22	<ul style="list-style-type: none">- Silicone Bleu
<ul style="list-style-type: none">- Silicone 50	<ul style="list-style-type: none">- Silicone Transparent
<ul style="list-style-type: none">- TSE 3488 / 1388	<ul style="list-style-type: none">- Silicone Transparent
<ul style="list-style-type: none">- RTV PA PASTE- PC 20- RTV PA 25- RTV PA 28	<ul style="list-style-type: none">- Silicone- Silicone Blanc- Silicone- Silicone Blanc

Les moulages

Préparation du moulage

Préparation du moulage

- | | |
|---|---|
| <ul style="list-style-type: none">- TR104: Cire pâte- Démoulant T1 liquide- Démoulant T2 cire pâte <p>Démoulant aérosol</p> <ul style="list-style-type: none">- 1711 et T1 | <ul style="list-style-type: none">- PARTAL cire pâte- Alcool polyvinylique (agent démoulant) |
|---|---|

- | | |
|---|---|
| <ul style="list-style-type: none">- Apprêt garnissant sable ou blanc- Apprêt polyester- Peinture RAL sur demande- Durcisseur P | <ul style="list-style-type: none">- Type polyuréthane- Type polyuréthane |
|---|---|

Plastiline

- | | |
|---|---|
| <ul style="list-style-type: none">- Plastiline 1kg ou 5kg | <ul style="list-style-type: none">- Différentes duretés disponibles |
|---|---|